

## LED Ground Light IP68



### Features and Benefits

- A LED spot light with strong light output,
- The brightness of three 1W high power LEDs up to 300lm(white LED)
- Overall imported stainless steel construction makes it very strong,easily adjust to any lighting angle
- The application of stainless steel and LED can enable it remain good for many years to come


### Technical Parameter

Shade	Toughened glass
Cable	3m H05RN-F rubber cable
Constant Current Driver	350mA
Power Consumption	6X1W
Lumen Output	261lm(WW), RGB: R66lm/G135lm/B27lm
LED	CREE (white color/single color); EDISON(RGB)
LED color	WW, WDL, Red, Green, Blue, Amber, RGB
Housing	Stainless Steel 316
Glass material	5mm thickness tempered glass
IP Rate	IP68
Certificates	CE ,RoHS

### Lifetime & Warranty

Expected lifetime 40.000 hrs  
Warranty 2 years

### Distribution Curve



### Code & Reference

CODE	REFERENCE	COLOR	COLOR TEMPERATURE or WAVELENGTH	Input current(mA)	LED QTY	LIGHT OUTPUT (lm)	BEAM ANGLE (°)	VOLTAGE (V DC)	EFFICIENCY (lm/W)	POWER CONSUMPTION (W)
20390176	I-Ground Light 166-6X1W-40deg-Cr-IP68-WW(3000K)	WW	3000K	350	6	261	40	19.8	87	6.0
20390181	I-Ground Light 166-6X1W-40deg-Cr-IP68-RGB	RGB		350	6	R66lm/G135lm/B27lm	40	19.8		6.0

Available viewing angle:F=40°; S=10°

## Dimensions

Φ90x47mm

